

SAFETY DATA SHEET

Creation Date 22-Sep-2011 Revision Date 14-Feb-2020 Revision Number 4

1. Identification

Product Name Maleic anhydride

Cat No. : A12178

CAS-No 108-31-6

Synonyms 2,5-Furandione; MA

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Respiratory Sensitization

Skin Sensitization

Specific target organ toxicity - (repeated exposure)

Category 1

Category 1

Category 1

Category 1

Category 1

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

May form combustible dust concentrations in air

Harmful if swallowed

Causes severe skin burns and eye damage

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled Causes damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Do NOT induce vomiting

Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Corrosive to the respiratory tract

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Maleic anhydride	108-31-6	>95

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use

of gastric lavage or emesis is contraindicated. Possible perforation of stomach or

esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO₂). Water spray. Alcohol resistant foam. CO₂, dry chemical, dry sand,

alcohol-resistant foam.

Unsuitable Extinguishing Media Dry chemical

Flash Point 102 °C / 215.6 °F

Method - No information available

Autoignition Temperature 477 °C / 891 °F

Explosion Limits

 Upper
 7.1 vol %

 Lower
 1.4 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Acetylene.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>

HealthFlammabilityInstabilityPhysical hazards311N/A

6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eves or clothing.

Environmental Precautions Should not be released into the environment. Do not allow material to contaminate ground

water system. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up**

7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If

swallowed then seek immediate medical assistance.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Maleic anhydride	TWA: 0.01 mg/m ³	(Vacated) TWA: 0.25 ppm	IDLH: 10 mg/m ³	TWA: 0.01 ppm
		(Vacated) TWA: 1 mg/m ³	TWA: 0.25 ppm	
		TWA: 0.25 ppm	TWA: 1 mg/m ³	
		TWA: 1 mg/m ³	_	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateSolidAppearanceWhiteOdorpungent

Odor Threshold
pH

No information available
No information available

 Melting Point/Range
 52 - 55 °C / 125.6 - 131 °F

 Boiling Point/Range
 200 °C / 392 °F @ 760 mmHg

Flash Point 102 °C / 215.6 °F Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper 7.1 vol % Lower 1.4 vol %

Vapor Pressure No information available

Revision Date 14-Feb-2020 Maleic anhydride

Vapor Density Not applicable

Specific Gravity 1.480

Solubility No information available Partition coefficient; n-octanol/water No data available 477 °C / 891 °F **Autoignition Temperature**

290 °C **Decomposition Temperature Viscosity** Not applicable C4 H2 O3 **Molecular Formula Molecular Weight** 98.06

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under recommended storage conditions. Moisture sensitive.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water.

Strong oxidizing agents, Water, Alkali metals, Strong reducing agents, Alcohols **Incompatible Materials**

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Acetylene

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Maleic anhydride	235 mg/kg (Rat)	LD50 = 2620 mg/kg (Rabbit)	LC50 = 0.16 mg/L (Rat) 4 h	
	400 mg/kg (Rat)		, ,	

Toxicologically Synergistic

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes burns by all exposure routes Irritation

Sensitization May cause sensitization by inhalation and skin contact

No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Maleic anhydride	108-31-6	Not listed				

No information available **Mutagenic Effects**

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure Respiratory system

Aspiration hazard No information available

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Harmful to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Maleic anhydride	EC50: = 29 mg/L, 72h	LC50: = 138 mg/L, 48h static	EC50 = 12.5 mg/L 15 min	EC50: = 84 mg/L, 24h
	(Desmodesmus	(Lepomis macrochirus)	EC50 = 44.0 mg/L 30 min	(Daphnia magna)
	subspicatus)	LC50: = 75 mg/L, 96h static		
		(Oncorhynchus mykiss)		
		' '		

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Maleic anhydride	-2.61

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Maleic anhydride - 108-31-6	U147	=

14. Transport information

DOT

UN-No UN2215

Proper Shipping Name MALEIC ANHYDRIDE

Hazard Class 8
Packing Group III

TDG

UN-No UN2215

Proper Shipping Name MALEIC ANHYDRIDE

Hazard Class 8
Packing Group III

IATA

UN-No UN2215

Proper Shipping Name MALEIC ANHYDRIDE

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN2215

Proper Shipping Name MALEIC ANHYDRIDE

Hazard Class 8
Packing Group III

15. Regulatory information

United States of America Inventory

Component	t CAS-No TSC		TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags	
Maleic anhydride	108-31-6	X	ACTIVE	-	

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

	Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Г	Maleic anhydride	108-31-6	Х	-	203-571-6	X	X	Χ	Χ	KE-17314

U.S. Federal Regulations

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Maleic anhydride	108-31-6	>95	1.0

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

or training				
Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Maleic anhydride	X	5000 lb	-	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Maleic anhydride	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Maleic anhydride	5000 lb	=	

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Maleic anhydride	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ):

N
DOT Marine Pollutant

N
DOT Severe Marine Pollutant

N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 22-Sep-2011

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 108-31-6/1.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS