Material Safety Data Sheet

Version 4.1 Revision Date 09/20/2012 Print Date 02/06/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Tannic acid

Product Number : 403040 Brand : Sigma-Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

both supplier and manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect

Target Organs

Liver, Kidney, Male reproductive system., Female reproductive system.

GHS Classification

Acute toxicity, Oral (Category 5)
Acute aquatic toxicity (Category 3)

GHS Label elements, including precautionary statements

Pictogram none
Signal word Warning

Hazard statement(s)

H303 May be harmful if swallowed.

H402 Harmful to aquatic life.

Precautionary none

statement(s)

HMIS Classification

Health hazard: 1
Chronic Health Hazard: *
Flammability: 1
Physical hazards: 0

NFPA Rating

Health hazard: 0 Fire: 1 Reactivity Hazard: 0

Potential Health Effects

Sigma-Aldrich - 403040 Page 1 of 7

InhalationMay be harmful if inhaled. May cause respiratory tract irritation.SkinMay be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Tannin

Gallotannin

Formula : C₇₆H₅₂O₄₆ Molecular Weight : 1,701.20 g/mol

Component		Concentration
Tannic acid		
CAS-No.	1401-55-4	-
EC-No.	215-753-2	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Sigma-Aldrich - 403040 Page 2 of 7

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Immersion protection Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 480 min

Material tested:Dermatril® (Aldrich Z677272, Size M)

Splash protection Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: > 30 min

Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form Powder with lumps

Colour light brown

Safety data

pH no data available

Melting point/range: 218 °C (424 °F) - lit.

point/freezing point

Boiling point no data available

Sigma-Aldrich - 403040 Page 3 of 7

Flash point 199 °C (390 °F)
Ignition temperature 527 °C (981 °F)
Autoignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available
Density no data available
Water solubility no data available
Partition coefficient: no data available

Partition coefficient

n-octanol/water

Relative vapour

no data available

density

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

Strong oxidizing agents, Strong bases

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 2,260 mg/kg

Remarks: Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Dyspnea. Gastrointestinal:Other changes.

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

LD50 Intraperitoneal - mouse - 120 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Sigma-Aldrich - 403040 Page 4 of 7

Germ cell mutagenicity

Genotoxicity in vivo - rat - Oral Unscheduled DNA synthesis

Genotoxicity in vivo - rat - Subcutaneous

Unscheduled DNA synthesis

Genotoxicity in vivo - mouse - Intraperitoneal

DNA inhibition

Carcinogenicity

Carcinogenicity - rat - Subcutaneous

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Liver:Tumors.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Tannic acid)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Reproductive toxicity - rat - Oral

Effects on Newborn: Live birth index (# fetuses per litter; measured after birth). Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Reproductive toxicity - rat - Subcutaneous Maternal Effects: Ovaries, fallopian tubes. Reproductive toxicity - mouse - Oral

Effects on Newborn: Live birth index (# fetuses per litter; measured after birth). Effects on Newborn: Viability index (e.g., # alive at day 4 per # born alive). Effects on Newborn: Weaning or lactation index (e.g., # alive at weaning per # alive at

day 4).

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: WW5075000

12. ECOLOGICAL INFORMATION

Toxicity

Sigma-Aldrich - 403040 Page 5 of 7

Toxicity to fish mortality LOEC - Oncorhynchus tshawytscha - 1.7 mg/l - 3 d

LC50 - Gambusia affinis (Mosquito fish) - 37 mg/l - 96 h

mortality NOEC - Oncorhynchus tshawytscha - 0.96 mg/l - 3 d

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

CAS-No. Revision Date

Tannic acid 1401-55-4

New Jersey Right To Know Components

CAS-No. Revision Date

Tannic acid 1401-55-4

Sigma-Aldrich - 403040 Page 6 of 7

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 403040 Page 7 of 7