

DOD Hazardous Materials Information System  
DoD 6050.5-L  
AS OF July 1998

FSC: 9150  
NIIN: 00F025509  
Manufacturer's CAGE: 0E7F8  
Part No. Indicator: A  
Part Number/Trade Name: BC601 PNEUMATIC TOOL LUBRICANTS

=====  
General Information  
=====

Item Name: LUBRICANT  
Company's Name: STANLEY-BOSTITCH  
Company's Street: ROUTE 2  
Company's P. O. Box: N/K  
Company's City: EAST GREENWICH  
Company's State: RI  
Company's Country: US  
Company's Zip Code: 02818  
Company's Emerg Ph #: 401-884-2500  
Company's Info Ph #: 401-884-2500  
Distributor/Vendor # 1:  
Distributor/Vendor # 1 Cage:  
Distributor/Vendor # 2:  
Distributor/Vendor # 2 Cage:  
Distributor/Vendor # 3:  
Distributor/Vendor # 3 Cage:  
Distributor/Vendor # 4:  
Distributor/Vendor # 4 Cage:  
Safety Data Action Code:  
Safety Focal Point: F  
Record No. For Safety Entry: 001  
Tot Safety Entries This Stk#: 001  
Status: SE  
Date MSDS Prepared: 01JAN91  
Safety Data Review Date: 16NOV92  
Supply Item Manager:  
MSDS Preparer's Name:  
Preparer's Company: STANLEY-BOSTITCH  
Preparer's St Or P. O. Box: ROUTE 2  
Preparer's City: EAST GREENWICH  
Preparer's State: RI  
Preparer's Zip Code: 02818  
Other MSDS Number:  
MSDS Serial Number: BPSCV  
Specification Number:  
Spec Type, Grade, Class:  
Hazard Characteristic Code:  
Unit Of Issue:  
Unit Of Issue Container Qty:  
Type Of Container:  
Net Unit Weight:

Report for NIIN: 00F025509

NRC/State License Number:  
Net Explosive Weight:  
Net Propellant Weight-Ammo:  
Coast Guard Ammunition Code:

=====  
Ingredients/Identity Information  
=====

=====  
 Proprietary: NO  
 Ingredient: MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-REFINED HEAVY  
 PARAFFINIC, LUBRICATING OIL BASE STOCK  
 Ingredient Sequence Number: 01  
 Percent: N/K  
 Ingredient Action Code:  
 Ingredient Focal Point: F  
 NIOSH (RTECS) Number: PY8040500  
 CAS Number: 64741-88-4  
 OSHA PEL: 5 MG/CUM  
 ACGIH TLV: 5 MG/CUM  
 Other Recommended Limit: N/K  
 =====

Physical/Chemical Characteristics

=====  
 Appearance And Odor: PALE CLEAR LIQUID, PETROLEUM ODOR.  
 Boiling Point: N/K  
 Melting Point: N/K  
 Vapor Pressure (MM Hg/70 F): <0.01  
 Vapor Density (Air=1): >12  
 Specific Gravity: 0.875  
 Decomposition Temperature: N/K  
 Evaporation Rate And Ref: (BU AC = 1): <0.01  
 Solubility In Water: NEGLIGIBLE  
 Percent Volatiles By Volume: NEGL  
 Viscosity:  
 pH: N/K  
 Radioactivity:  
 Form (Radioactive Matl):  
 Magnetism (Milligauss):  
 Corrosion Rate (IPY): N/K  
 Autoignition Temperature:  
 =====

Fire and Explosion Hazard Data

=====  
 Flash Point: 141C/285F  
 Flash Point Method: COC  
 Lower Explosive Limit: 1%  
 Upper Explosive Limit: 6%  
 Extinguishing Media: DRY CHEMICAL, FOAM, CO2  
 Special Fire Fighting Proc: USE SELF-CONTAINED BREATHING APPARATUS  
 Unusual Fire And Expl Hazrds: N/K  
 =====

Report for NIIN: 00F025509

Reactivity Data

=====  
 Stability: YES  
 Cond To Avoid (Stability): N/K  
 Materials To Avoid: STRONG OXIDIZERS  
 Hazardous Decomp Products: CO  
 Hazardous Poly Occur: NO  
 Conditions To Avoid (Poly): N/K  
 =====

Health Hazard Data

=====  
 LD50-LC50 Mixture: N/K  
 Route Of Entry - Inhalation: YES  
 Route Of Entry - Skin: NO  
 =====

Route Of Entry - Ingestion: NO  
Health Haz Acute And Chronic: EYES/SKIN: IRRITATION. INHALATION: LUNG IRRITATION.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NONE  
Signs/Symptoms Of Overexp: N/K  
Med Cond Aggravated By Exp: N/K  
Emergency/First Aid Proc: SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/ PLENTY OF WATER FOR 15 MIN. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====  
Precautions for Safe Handling and Use  
=====

Steps If Matl Released/Spill: PREVENT SPREAD OF SPILL, ABSORB W/SAND OR INERT MATERIALS, SWEEP OR SCOOP UP & REMOVE.  
Neutralizing Agent: N/K  
Waste Disposal Method: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.  
Precautions-Handling/Storing: USE METHODS GENERALLY ADVOCATED FOR PETROLEUM PRODUCTS. DON'T MIX W/OXIDIZING MATERIALS.  
Other Precautions: AVOID PROLONGED OR REPEATED CONTACT W/SKIN, INHALATION OF FUMES.

=====  
Control Measures  
=====

Respiratory Protection: AS REQUIRED  
Ventilation: LOCAL EXHAUST  
Protective Gloves: RECOMMENDED  
Eye Protection: GOGGLES  
Other Protective Equipment: APRON  
Work Hygienic Practices: DON'T WEAR CONTAMINATED CLOTHING.  
Suppl. Safety & Health Data: N/K

Report for NIIN: 00F025509

=====  
Transportation Data  
=====

Transportation Action Code:  
Transportation Focal Point:  
Trans Data Review Date:  
DOT PSN Code:  
DOT Symbol:  
DOT Proper Shipping Name:  
DOT Class:  
DOT ID Number:  
DOT Pack Group:  
DOT Label:  
DOT/DoD Exemption Number:  
IMO PSN Code:  
IMO Proper Shipping Name:  
IMO Regulations Page Number:  
IMO UN Number:  
IMO UN Class:  
IMO Subsidiary Risk Label:  
IATA PSN Code:  
IATA UN ID Number:  
IATA Proper Shipping Name:  
IATA UN Class:

IATA Subsidiary Risk Class:  
 IATA Label:  
 AFI PSN Code:  
 AFI Symbols:  
 AFI Prop. Shipping Name:  
 AFI Class:  
 AFI ID Number:  
 AFI Pack Group:  
 AFI Label:  
 AFI Special Prov:  
 AFI Basic Pac Ref:  
 MMAC Code:  
 N.O.S. Shipping Name:  
 Additional Trans Data:

=====

Disposal Data

=====

Disposal Data Action Code:  
 Disposal Data Focal Point:  
 Disposal Data Review Date:  
 Rec # For This Disp Entry:  
 Tot Disp Entries Per NSN:  
 Landfill Ban Item:  
 Disposal Supplemental Data:  
 1st EPA Haz Wst Code New:  
 1st EPA Haz Wst Name New:  
 1st EPA Haz Wst Char New:  
 1st EPA Acute Hazard New:  
 2nd EPA Haz Wst Code New:

Report for NIIN: 00F025509

2nd EPA Haz Wst Name New:  
 2nd EPA Haz Wst Char New:  
 2nd EPA Acute Hazard New:  
 3rd EPA Haz Wst Code New:  
 3rd EPA Haz Wst Name New:  
 3rd EPA Haz Wst Char New:  
 3rd EPA Acute Hazard New:

=====

Label Data

=====

Label Required: YES  
 Technical Review Date: 16NOV92  
 Label Date: 27OCT92  
 MFR Label Number: N/R  
 Label Status: F  
 Common Name: PETROLEUM OIL  
 Chronic Hazard: NO  
 Signal Word: CAUTION!  
 Acute Health Hazard-None:  
 Acute Health Hazard-Slight: X  
 Acute Health Hazard-Moderate:  
 Acute Health Hazard-Severe:  
 Contact Hazard-None:  
 Contact Hazard-Slight: X  
 Contact Hazard-Moderate:  
 Contact Hazard-Severe:  
 Fire Hazard-None:  
 Fire Hazard-Slight: X  
 Fire Hazard-Moderate:

Fire Hazard-Severe:  
Reactivity Hazard-None: X  
Reactivity Hazard-Slight:  
Reactivity Hazard-Moderate:  
Reactivity Hazard-Severe:  
Special Hazard Precautions: EYES/SKIN: IRRITATION. INHALATION: LUNG  
IRRITATION. RRHEA/NERVOUS SYSTEM IMPAIRMENT. CARCINOGEN: FORMALDEHYDE.  
Protect Eye: Y  
Protect Skin: Y  
Protect Respiratory: Y  
Label Name: STANLEY-BOSTITCH  
Label Street: ROUTE 2  
Label P.O. Box: N/K  
Label City: EAST GREENWICH  
Label State: RI  
Label Zip Code: 02818  
Label Country: US  
Label Emergency Number: 401-884-2500  
Year Procured: UNK